

Hako

Clean ahead

Hakomatic B 70/90/120

NEW



Feel the difference.

Contract
Cleaning

Hakomatic B 70/90/120

Easy handling, super performance efficient, environmentally-friendly.

The new Hakomatic B70/B90/B120 are the proof that everything can be done better still:

- Robust brush heads made of corrosion-resistant cast aluminium for the following options. ①
 - Plate brushes 65 – 85 cm (B70/B90 /B120 with connectible pressure increase) or
 - Cylindrical brushes 60-70 cm.
- No need to sweep the area first as a result of the patented integrated dirt collection system in an easy-to-empty drawer. ②
- Two powerful brush motors guarantee an even cleaning result over the whole width.
- Thanks to the low brush deck height (< 10 cm) ideal to manoeuvre underneath protruding obstacle. ③
- One of many options: with the hand held suction tool fluids can be removed easily, even from areas, which are difficult to access. ④
- Environmentally-friendly and economical – the dosage system in conjunction with the automatic filling system. Independent of the chemicals used each time, guaranteed concentration. ⑤





Oliven

China

Hako

Hako

- Additional cost reduction and environmental protection by means of the Hako-Aqua - Control System **ACS**:

- Brushes and water stop automatically when the machine comes to a standstill.
- Precise and speed dependent dosage of cleaning solution.

- Battery running time to suit the application in question, on-board charger fitted as standard.
- For quick and thorough maintenance cleaning the Hakomatic B70/B90/B120 are exactly the right machines. Running time Hakomatic B70 up to 2.5 hours, Hakomatic B90/B120 up to 4 hours.

- Easy, ergonomic operation as a result of the compact and handy design. The simple, clearly laid out construction ensures short training periods and simple maintenance. Ergonomic, adjustable speed control.

(Except Hakomatic B 70). ⑥

- Using the particularly operator-friendly green Hakomatic button on the Hakomatic B90CL/CLH, by means of the single button function, the brush head and squeegee are automatically lowered or lifted



respectively. In reverse mode the squeegee is also lifted. ⑦

- Time-saving filling thanks to the large opening on the clean water tank for fast-fill and automatic filling systems. Running time and tank filling are ideally suited to each other. ⑧

- Even if the floor conditions are difficult, optimum collection of the cleaning solution as the result of new squeegee geometry with additional quick adjustment possibility. Quick fit device for squeegee lips, which can be used four times and which are highly resistant to wear. ⑨



WC
WC
Wickelraum

FEK -
Aktion

ter GmbH
nität zu Kiel

Kinderkin
Kasse
Altbau / Statik

Hako



- To pass through areas more easily e.g. when negotiating doors or entrances, the squeegee can be locked in place. (Except Hakomatic B 70). 10

- Aerodynamically optimized dirty water tank with **AFS** (Anti Foam System) to protect the vacuum turbine. As a result of the large tank lid good accessibility for cleaning purposes. 11

- Service-friendly access to the batteries and drive system. 12

- Considerable noise reduction as a result of the “Silencer Option” (Except Hakomatic B 70). 13

- Clinic version Hakomatic B 90 CLH with mop holder, utensil net and silencer. Sound pressure level at the operator’s ear only 63 db(A). 14

- The direct Brush Release System (**BRS**) enables the brushes to be changed quickly. 13



- Option of dirty water tank in white, own design possible thanks to individual side panel. 14

The new Hakomatic B 70/B 90/B 120 machines offer you considerably better manoeuvrability, excellent visibility of the working

area and more legroom when moving forward.

Enjoy the difference:

Experience the convincing function, easy handling and super performance of the new Hakomatic B 70/B 90/B 120 machines!




Hakomatic B 70/90/120

Technical Data

		B 70	B 70 CL	B 70 CLH	B 90/CL/ CLH PB	B 90/CL CB	B 120 PB
Working width	cm	65	60/65	60/65	65/75/85	60/70	85
Squeegee width	cm	95	95	95	95/110	95/110	110
Area performance max.	m ²	3.200	3.200	3.200	4.200	3.500	4.200
Rated voltage	Volts	24	24	24	24	24	24
Number of brushes	Units	2	2	2	2	2	2
Working speed	km/h	5,0	5,0	5,0	5,0	5,0	5,0
Clean water tank	Litres	72	72	72	85	85	110
Dirty water tank	Litres	74	74	74	85	85	115
Width w/o/with squeegee	cm	58/95	58/95	58/95	58/95 (110)	58/95 (110)	70/110
Weight without battery	kg	157	157	157	213 (TB 750)	213 (WB 700)	246
Weight, wet with battery	kg	307	357	357	415-480	415-480	515
Total power/output	kW	1,85	2,20	2,20	2,3-2,7	2,3-2,6	2,8



**Hakomatic
B 70**




**Hakomatic
B 70 CL***




**Hakomatic
B 70 CLH***




**Hakomatic
B 90***



**Hakomatic
B 90 CLH***



**Hakomatic
B 90 CL***



**Hakomatic
B 120 PB***

* Optional with "Silencer" function. / We reserve the right to change the shape, colour and design of machines in the interests of continued technical development.

Everything speaks for Hako:



Cleanliness with safety.

Hako machines adhere to strict quality regulations/standards – "Quality made by Hako". We also take care of what we sell – World-wide.



Sales, hire, leasing, rental.

With Hako, you can plan your capital expenditure on a completely individual basis. You can enter into short-term, medium-term or long-term agreements with regard to machine usage.



We are there for you day and night.

Round-the-clock service and express spare parts delivery – order today and have the parts tomorrow! So you can get on again as quickly as possible.



Close to you, wherever you are.

The unsurpassed, close knit Hako sales and service network means we are always close at hand – a bonus when you need us. Convince yourself.

Hako
Clean ahead

Hako-Werke GmbH
Hamburger Straße 209-239
D-23843 Bad Oldesloe
Phone: +49 0 45 31 8 06-0
Fax: +49 0 45 31 8 06-3 38
e-mail: info@hako.com
www.hako.com

